


TYFON

Oliver Seeds



Non bulbing type



A leafy, fast growing cross between Chinese cabbage and stubble turnip.

It exhibits high frost resistance and can be utilised within eight to ten weeks after sowing. There is potential for regrowth.

Ratings

Dry Matter Yield



Crude Protein



Digestibility



Metabolisable Energy



Bulb Size



Bolting Resistance



Winter Hardiness



Brassica Fodder Crop for CSS



Seed Rate	Pack Size	Seed Treatment
5 - 7.5kg/ha	5kg	Thiram & Untreated

Stock should be introduced gradually over a two week period and an area of grassland should be available for animals to return to; water and hay or straw should also be made available. Please contact your supplier for further guidance.

Stubble Turnips Yield and Feed Quality

Average dry matter yield	3.5 - 4.5 tonnes/ha
Average fresh yields	38 - 45 tonnes/ha
Crude protein	17 - 18% (mainly leaves)
Digestibility value	68 - 70 D
Dry matter	8 - 9%
Metabolisable energy	11 MJ/kg DM

Sugars in DM 55%
 OLIVER SEEDS, Unit 3 Saxilby Enterprise Park, Skellingthorpe Road, Saxilby, Lincoln, LN1 2LR. Tel 01506 894822, E-mail:

enquiries@oliver-seeds.co.uk